EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	360	(@ad<"20010430" or @rlad<"20010430") and (definition with sql with (method function procedure routine operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/26 09:31
L3	37	(@ad<"20010430" or @rlad<"20010430") and (definition with querying with (method function procedure routine operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/26 09:33
L4	0	(@ad<"20010430" or @rlad<"20010430") and "querying a definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/26 09:35
L5	0	(@ad<"20010430" or @rlad<"20010430") and "query a definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/26 09:35
L6	1749	(@ad<"20010430" or @rlad<"20010430") and "identifying methods"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/26 09:35
L7	5	(@ad<"20010430" or @rlad<"20010430") and ("identifying methods" with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/26 09:38
L8	5352	715/234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/26 10:06
L9	1119	717/127.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/26 10:07

L10	2680	714/38.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/26 10:07
L11	1836	714/47.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/26 10:08
S159	2725	(@ad<"20010430" or @rlad<"20010430") and "computer program" and (list with output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/08 17:10
S160	0	(@ad<"20010430" or @rlad<"20010430") and "computer program" and "command definition" and "view definition" and attributes and method and value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/08 17:29
S161	26	(@ad<"20010430" or @rlad<"20010430") and "computer program" and ((retriev\$3 get\$4) with class with definition with object) and ((invok\$3 identify\$3) with method)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/08 17:32
S162	4871	"Java Bean"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 13:49
S163	1406	S162 and (@ad<"20010430" or @rlad<"20010430")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 13:50
S164	45	numega and (@ad<"20010430" or @rlad<"20010430")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 14:07
S165	66	"configuration management software" and (@ad<"20010430" or @rlad<"20010430")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 14:10

S166	1406	S162 and (@ad<"20010430" or @rlad<"20010430")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 14:46
S167	2	"20020039993"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 14:54
S168	2	"20020039993"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 14:54
S169	3	"20040039993"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 14:55
S170	681	S162 and (@ad<"20010430" or @rlad<"20010430") and command and view	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 15:01
S171	410	S162 and (@ad<"20010430" or @rlad<"20010430") and command and view and attribute and value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 15:01
S172	5	S162 and (@ad<"20010430" or @rlad<"20010430") and attribute and value and (command with definition) and (view with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 15:04
S173	0	S162 and (@ad<"20010430" or @rlad<"20010430") and "command definition" and "view definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 15:39
S174	2	(@ad< "20010430" or @rlad< "20010430") and "command definition" and "view definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/19 15:39
S177	0	(@ad<"20010430" or @rlad<"20010430") and (command with definition) and (view with definition) and attributes and alues	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 10:31

S178	209	(@ad<"20010430" or @rlad<"20010430") and (command with definition) and (view with definition) and attributes and values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 10:31
S179	44	(@ad<"20010430" or @rlad<"20010430") and (command with definition) and (view with definition) and attributes and values and "configuration management"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 11:50
S180	0	(@ad< "20010430" or @rlad< "20010430") and (command with definition) and (view with definition) and attributes and values and "configuration management" and (list with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 11:53
S181	40	(@ad<"20010430" or @rlad<"20010430") and (command with definition) and (view with definition) and attributes and values and "configuration management" and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 11:53
S182	22	(@ad<"20010430" or @rlad<"20010430") and (command with definition) and (view with definition) and attributes and values and "configuration management" and (output with (identify\$3 determin\$3 generat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 11:53
S183	45	(@ad<"20010430" or @rlad<"20010430") and numega	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 12:18
S184	71	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 12:32
S185	40	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output with list) and view	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 12:33
S186	0	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output with list) and view and testin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 12:36

S187	15	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output with list) and view and testing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 12:36
S188	3	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with testing with (identify\$3 determin\$3 generat\$3) with output with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 12:47
S189	3	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with testing with output with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 12:48
S190	38	(@ad< "20010430" or @rlad< "20010430") and ("computer program" with testing with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 12:48
S191	211	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with form with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 12:50
S192	0	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with "form generation" with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 13:27
S193	12	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output) and "form generation"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/20 13:27
S194	1671	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output) and (form with (creat \$3 generat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:31
S195	2	"5265221".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:32
S196	2	"6529950".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:33

S197	2	"6529956".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:33
S198	2	"6546397".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:34
S199	2	"6546397".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:35
S200	2	"6549397".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:35
S201	46	"6560592"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:35
S202	19	"6567846"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:36
S203	2	"20020039993".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:40
S204	2	"20040039993".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:40
S205	2	"6611498".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:42
S206	3	"6615253".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:43

S207	2	"6623529".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:44
S208	39	(@ad<"20010430" or @rlad<"20010430") and numega and program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:50
S209	2	"6625581".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 10:56
S210	2	"6631357".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:12
S211	85	"6632251"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:12
S212	2	"6632251".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:12
S213	2	"6636886".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:12
S214	2	"6643652".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:13
S215	2	"6654726".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:13
S216	2	"6664981".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:13

S217	2	"6671674".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:14
S218	2	"6684369".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:14
S219	14	"6694506"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:14
S220	70	"6704906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:23
S221	2	"6704906".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:23
S222	2	"6728685".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:25
S223	2	"6732331".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:26
S224	2	"6741969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:26
S225	2	"6741980".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:29
S226	2	"6742015".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:29

S227	2	"6751673".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:29
S228	2	"6769009".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:29
S229	2	"6771384".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:29
S230	2	"6779155".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:30
S231	2	"6785721".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:33
S232	2	"6792462".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:34
S233	2	"6802059".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:34
S234	3	"6807558".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:34
S235	2	"6820082".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:34
S236	2	"6832369".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:34

S237	2	"6842906".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:35
S238	2	"7013289".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 11:35
S239	5	(@ad<"20010430" or @rlad<"20010430") and "command bean"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:13
S240	3	(@ad<"20010430" or @rlad<"20010430") and "command bean" and command and view	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:21
S241	2	(@ad<"20010430" or @rlad<"20010430") and "command definition" and "view definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:21
S242	2	"5265221".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:27
S243	2	"5410646".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:27
S244	2	"5434776".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:29
S245	2	"5590197".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:29
S246	2	"5678039".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:29

S247	2	"5745754".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:30
S248	2	"5790790".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:30
S249	2	"5790809".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:30
S250	2	"5835896".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:31
S251	2	"5870605".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:31
S252	2	"5890175".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:31
S253	2	"5898836".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:32
S254	2	"5915209".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:32
S255	2	"5928335".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:32
S256	2	"5970231".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:33

S257	2	"5977971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:33
\$258	2	"5978799".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:33
S259	2	"5999948".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:33
S260	2	"6035121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:34
S261	2	"6047377".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:34
S262	2	"6058417".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:34
S263	2	"6061686".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:34
S264	2	"6115690".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:34
S265	2	"6128655".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:35
S266	2	"6144944".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:35

S267	2	"6151022".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:35
S268	2	"6175841".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:36
S269	2	"6192407".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:36
S270	2	"6216114".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:36
S271	2	"6233566".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:36
S272	2	"6243721".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:36
S273	2	"6252589".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:37
S274	2	"6253251".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:37
S275	2	"6308212".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:37
S276	2	"6345278".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:38

S277	2	"6366891".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:38
S278	2	"6385724".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:38
S279	2	"6412008".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:39
S280	2	"6415284".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:39
S281	2	"6434568".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:39
S282	2	"6438594".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:40
S283	2	"6460036".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:40
S284	2	"6473748".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:40
S285	2	"6473791".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:40
S286	2	"6477665".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:40

S287	2	"6487599".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:40
S288	2	"6487665".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:41
S289	2	"6513038".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:41
S290	2	"6519570".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:41
S291	2	"6519571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:41
S292	2	"20010039594".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:41
S293	2	"20010044809".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:42
S294	2	"20020107684".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:42
S295	2	"20020147656".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:43
S296	2	"20020156678".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:43

S297	2	"20020161674".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:43
S298	2	"20030033448".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:43
S299	2	"20030078960".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:44
S300	2	"20030233296".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:44
S301	2	"20040205644".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:44
S303	6893	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:50
S304	279	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output with (list form))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:50
S305	6	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output with (list form) with attributes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:54
S306	43	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output with attributes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 13:57
S 307	0	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output with attributes) and numega	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:03

S308	0	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with output with attributes) and numega.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:03
S309	0	(@ad<"20010430" or @rlad<"20010430") and (program with output with attributes) and numega	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:04
S310	376	(@ad<"20010430" or @rlad<"20010430") and (program with output with attributes) and form	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:04
S311	3662	(@ad<"20010430" or @rlad<"20010430") and "computer program" and (output with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:12
S312	2292	(@ad<"20010430" or @rlad<"20010430") and "computer program" and (output with list) and test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:13
S313	271	(@ad<"20010430" or @rlad<"20010430") and "computer program" and (output with list) and test\$3 and (input with attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:13
S314	0	(@ad<"20010430" or @rlad<"20010430") and "rationale rose"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:18
S315	205	(@ad<"20010430" or @rlad<"20010430") and "rational rose"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:18
S316	99	(@ad< "20010430" or @rlad< "20010430") and "rational rose" and "computer program"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:19
S317	3996	(@ad<"20010430" or @rlad<"20010430") and ("configuration management software" debugger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 14:44

S318	78	(@ad<"20010430" or @rlad<"20010430") and (identify\$3 with attributes with program with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 15:59
S319	40	(@ad<"20010430" or @rlad<"20010430") and (identify\$3 with attributes with program with method) and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 16:02
S320	0	(@ad< "20010430" or @rlad< "20010430") and (identify\$3 with attributes with program with method) and "configuration mangagement"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 16:02
S321	1	(@ad< "20010430" or @rlad< "20010430") and (identify\$3 with attributes with program with method) and "configuration management"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 16:02
S322	13	(@ad< "20010430" or @rlad< "20010430") and (identify\$3 with attributes with program with method) and debugger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 16:03
S323	1	(@ad<"20010430" or @rlad<"20010430") and (identify\$3 with attributes with program with method) and "rational rose"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 16:04
S324	54	(@ad<"20010430" or @rlad<"20010430") and (method with get with set with value with attribute) and command and view	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 16:11
S325	0	(@ad<"20010430" or @rlad<"20010430") and (method with get with set with value with attribute) and ((command and view) with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 16:17
S326	2	(@ad< "20010430" or @rlad< "20010430") and (command with method with get with set with value with attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 16:22
S327	35	"6028998"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/21 16:27

S328	26	(@ad<"20010430" or @rlad<"20010430") and (command with method with get with set with (value attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 09:58
S329	1192	(@ad<"20010430" or @rlad<"20010430") and "interaction model"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 11:07
S330	822	(@ad<"20010430" or @rlad<"20010430") and "interaction model" and view and command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 11:07
S331	0	(@ad<"20010430" or @rlad<"20010430") and "interaction model" and "view definition" and "command definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 11:08
S332	9	(@ad<"20010430" or @rlad<"20010430") and "interaction model" and ((view and command) with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 11:09
S333	1299	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with identify\$3 with (method operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 11:13
S334	63	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with identify\$3 with (method operation) with (value attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 11:13
S335	102	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with identify\$3 with (method operation) with (input output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 11:13
S336	94	(@ad<"20010430" or @rlad<"20010430") and ("computer program" with identify\$3 with (method operation) with (input output)) and form	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 11:16
S337	2	"7376904".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 11:44

S338	2	(@ad<"20010430" or @rlad<"20010430") and "view definition" and "command definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/22 14:56
S339	2	"5005119".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 10:28
S340	7	(@ad<"20010430" or @rlad<"20010430") and (definition with query\$3 with method with identify\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 13:49
S341	0	(@ad<"20010430" or @rlad<"20010430") and (command with definition with query\$3 with method with identify\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 13:50
S342	8	(@ad<"20010430" or @rlad<"20010430") and (command with definition with query\$3 with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 13:50
S343	1562	(@ad<"20010430" or @rlad<"20010430") and (definition with query\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 13:53
S344	470	(@ad<"20010430" or @rlad<"20010430") and (definition with query\$3) and (identify\$3 with (method operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 13:53
\$345	600	(@ad<"20010430" or @rlad<"20010430") and (definition with query\$3) and (identify\$3 with (method function procedure routine operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 13:55
S346	12	(@ad<"20010430" or @rlad<"20010430") and (definition with query\$3 with identify\$3 with (method function procedure routine operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 13:57
S347	1	(@ad<"20010430" or @rlad<"20010430") and (command with definition with query\$3 with identify\$3 with (method function procedure routine operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 14:04

S348	12	(definition with query\$3 with	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:32
S349	449	(@ad<"20010430" or @rlad<"20010430") and (definition with query\$3 with (method function procedure routine operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/23 15:33

EAST Search History (Interference)

<This search history is empty>

7/26/10 10:08:50 AM

C:\ Documents and Settings\ rsingh2\ My Documents\ EAST\ Workspaces\ 09847067.wsp